



MEGHALAYA BASIN MANAGEMENT AGENCY (MBMA)

Regd. Address: House No. L/ A-56 Lower Nongrim Hills,
 Shillong, East Khasi Hills, Meghalaya- 793003
 (CIN No. U75144ML2012NPL008509)
 Phone: +91-364- 2522921/2522992
 Website: www.mbd.gov.in

Ref. No: MBMA/MLAMP/ISC&ED/127/G-178/2025/254

Dated: 08 August 2025

Response to Pre-Bid Queries
Corrigendum # 4 for RFB No: MBMA/MLAMP/ISC&ED/127/G-178/2025/72
“Procurement of Equipment and Furniture for 7 No of Prime Hubs, MLAMP”
Date of Pre-Bid Meeting: 10 July 2025 at 11:00 AM (IST)

Original clause in RFB and Page no.						Queries raised by the firm	MBMA'S Response
Section-VI Technical Specifications: Summary of TS. The goods and related services shall comply with following TS and standards:						Section-VI Technical Specifications: Summary of TS. The goods and related services shall comply with following TS and standards:	
Sl. no	Lots#	Description	Specifications	Units	Quantity	Specifications Requested	
1	Lot#1	TV Type-1	Size: ≥ 55" (139 cm); Display: Full HD LED (1920x1080); Brightness: ≥ 300 nits; Smart Features: Built-in WiFi, screen mirroring, Ports: ≥2 HDMI, ≥2 USB; Mounting: Wall mount kit included; Audio: ≥ 16W stereo; Warranty: Minimum	Nos.	7	Size: 2 55" (139 cm). Display: 4K UHD (3840x2160). Brightness: 440 nits or better. Smart Features: Built-in Wi-Fi, screen mirroring Ports: 4 HDMI, Ram: 4 GB Storage: 16 GB Mounting: Wall mount kit included. Audio: 20W stereo or better. Minimum 1 USB Operating System: Android TV	Size: ≥ 55" (139 cm); Display: 4K UHD (3840x2160); Brightness: ≥ 300 nits; Smart Features: Built-in WiFi, screen mirroring, Ports: ≥1 HDMI, ≥1 USB; Mounting: Wall mount kit included; Audio: ≥ 16W stereo; RAM: ≥2 GB Storage: ≥8GB Warranty: Minimum 3 year. Operating System: Android TV/WebOS/Tizen

			1 year.			Warranty: Minimum 3 years.	
		TV Type-2	Size: Minimum 98" (248 cm); Display: 4K Ultra HD (3840 x 2160), QLED/ULED or equivalent; Brightness: ≥ 350 nits Smart OS: Android TV/WebOS/Tizen Ports: ≥3 HDMI, ≥2 USB, Audio out, LAN Features: Voice control, Bluetooth, screen casting; Mounting: Wall/stand mount as required; Warranty: Minimum 1 year.	Nos.	14	Size: Minimum 98" (248 cm). Display: 4K Ultra HD (3840 x 2160), QLED/ULED or equivalent. Brightness: 440 nits or better Smart OS: Android TV/WebOS/Tizen Ports: 4 HDMI, 1 USB, LAN Features: Voice control, Bluetooth, screen casting; Audio: 40W stereo or better. Mounting: Wall/stand mount as required. Warranty: Minimum 3 years.	Size: Minimum 98" (248 cm); Display: 4K Ultra HD (3840 x 2160), QLED/ULED or equivalent; Brightness: ≥ 350 nits Smart OS: Android TV/WebOS/Tizen Ports: ≥3 HDMI, ≥1 USB, Audio out, LAN Features: Voice control, Bluetooth, screen casting; Mounting: Wall/stand mount as required; RAM: ≥4 GB Storage: ≥16GB Warranty: Minimum 3 year. Audio: ≥40W stereo or better.
2	Lot#2	Desktop	Processor: Intel Core i5-13400 or AMD Ryzen 5 7600; RAM: 16GB DDR4; Storage: ≥ 512GB NVMe SSD; Display: 27" QHD (2560x1440), anti-glare; OS: Windows 11 Professional; Keyboard and Mouse.	Nos.	35	The specifications for desktops and laptops under Lot 2 are generally standard and acceptable. However, considering the remote deployment locations, we suggest specifying the desktop power supply to ensure reliability. The power supply unit (PSU) for desktops should have at least 90% efficiency and a minimum capacity of 180 watts. While a three-year warranty is standard,	Power supply will not be an issue, as backup through an online UPS will be Provided. RFB Condition shall prevail.

			Warranty: 3 years onsite preferred.				
		Laptop	Processor: AMD Ryzen 3 7320U or Intel Core i3-13th Gen or higher; RAM: 8GB (Expandable to 16GB); Storage: ≥512GB SSD; Display: 15.6" FHD, 250 nits, anti-glare; Weight: ≤ 1.8 kg; OS: Windows 11 Home/Pro; Warranty: Minimum 1 year.	Nos.	42		

3	Lot#3	DG Set	<p>Capacity: 100 KVA, 3-Phase, 50Hz; Engine: CPCB II compliant, turbocharged. Cooling: Water-cooled; Start: Electric with maintenance-free battery. Panel: Digital AMF with LCD; Alternator: Brushless, Self-regulated. Fuel Tank: ≥ 180L for 8-10 hrs @ 75% load; Enclosure: Soundproof, Weatherproof; Protection: Overload, Short Circuit, Over/Under Voltage, Earth Fault; Warranty: Minimum 2 years or 5000 hrs</p>	Nos.	7	<p>As per the Government's circulation, the CPCB II compliant is now faced out and CPCB IV compliant is implemented. Therefore, the starting Rating in CPCB IV is from 140KVA onward.</p> <p>Secondly, if you are going to supply the power to the office via Online UPS, DG Set with 140 KVA will not be able to start the online UPS. It requires a minimum 180 KVA DG Set. Therefore, the recommended DG Set rating is 180 KVA. Differences in the price may not be much.</p>	<p>UPS system is only for the administrative and residential blocks. DG to be used only for Industrial purpose</p> <p>Capacity: 140KVA, 3-Phase, 50Hz; Engine: CPCB IV compliant, turbocharged. Cooling: Water-cooled; Start: Electric with maintenance-free battery. Panel: Digital AMF with LCD; Alternator: Brushless, Self-regulated. Fuel Tank: ≥ 180L for 8-10 hrs @ 75% load; Enclosure: Soundproof, Weatherproof; Protection: Overload, Short Circuit, Over/Under Voltage, Earth Fault; Warranty: Minimum 2 years or 5000 hrs</p>
---	-------	--------	---	------	---	--	--

4	Lot#5	Industrial UPS Power Backup	<p>Capacity: 100 KVA, Type: 3:3 Online, Double Conversion, Input Voltage: 360-480V AC, Output Voltage: 400V ±1%, Frequency: 50 Hz, Power Factor: ≥ 0.9, Efficiency: > 90% (AC-AC), Backup: 30-60 Minutes at Full Load, Display: LCD Digital Panel, Communication: RS232 / USB / SNMP, Protection: Short Circuit, Overload, Surge, Battery Low, Bypass: Static and Manual, Installation: Floor Mounted,</p> <p>Warranty: UPS 2-3 Years, Battery Minimum 2 Years</p>	Nos.	7	<p>Description Industrial UPS Power backup Capacity: 100 KVA, Type: 3:3 Online, SUGGESTED Additional TECHNICAL SPECIFICATIONS Please specify - a) UPS Architecture should be modular type UPS for reliability, easy maintenance and servicing, reduced downtime (Mean time to repair)b) UPS should have IGBT rectifier and 3 Level IGBT based inverter for highest efficiency, high input power factor, lowest input current harmonics and Energy Savings (Green Features) c) UPS Overall Efficiency:>95% and Input Current Harmonics - THDi <3% d) Modular architecture to ensure that in case of fault in 01 module, UPS continues to Power load with reduced load (50% or less) instead of complete shutdown e) UPS should have 7" Colour graphical LCD DISPLAY, touch screen based, for monitoring of all measured parameters, UPS and battery status and alarms for rapid maintenance service diagnosis. f) Batteries shall be VRLA SMF batteries with Long Design Float life of at least 10 years and Made of UL94 V0 class fire retardant container g) The proposed UPS</p> <p>Capacity: 100 KVA, Type: 3:3 Online, Double Conversion, Input Voltage: 360-480V AC, Output Voltage: 400V ±1%, Frequency: 50 Hz, Power Factor: ≥ 0.9, Efficiency: > 90% (AC-AC), Backup: 60 Minutes at Full Load, Display: LCD Digital Panel, Communication: RS232 / USB / SNMP, Protection: Short Circuit, Overload, Surge, Battery Low, Bypass: Static and Manual, Installation: Floor Mounted,</p> <p>Warranty: UPS 3 Years, Battery Minimum 3 Years</p>
---	-------	-----------------------------	---	------	---	---

					<p>shall have cloud based Centralized UPS Monitoring & Management system (hardware and software) with ANDROID and iOS App based monitoring on Mobile Phones for real-time UPS status monitoring and notification</p> <p>h) Each UPS should have a dedicated Type 1+ Type 2 Surge Protection Device of 50kA rating with Integrated Series Power Filter for protection from Lightning Strikes and Electrical Noise. (Datasheet to be submitted)i) Bidder should install, commission and maintain the UPS system as per Govt Electrical standard practices. Bidder's Valid Govt electrical license to be enclosed with Bid.</p> <p>1.the required backup time of Industrial UPS power. 30-60 mins backup is asked in the tender for which we want to bring to your kind attention that the no's of batteries will be doubled if any vendor provides 60 mins backup in stead of 30 mins backup, so as the price.</p> <p>2. Warranty of UPS - 2 or 3 years</p>	
--	--	--	--	--	---	--

					<p>We would like to seek clarification regarding the application of the UPS units. Specifically, are these intended to power the loads mentioned under other lots, or will they support additional equipment? It would be helpful to understand the end-use to ensure compatibility. We also suggest that, if possible, certain specifications be upgraded to align with future needs and ensure the systems remain relevant for the next 7-10 years.</p> <p>Additionally, we presume that lot-wise bidding is permitted; kindly confirm this. Regarding installation, please clarify the scope of civil and electrical works involved. Will the internal wiring, cabling, switchgear, and earthing be the responsibility of the purchaser, or are vendors expected to carry out these tasks? While we understand the internal wiring might be done on the customer's side, who will be responsible for the final connection and integration of the UPS? Lastly, for a 100 KVA industrial UPS, the recommended DG set capacity is around 150-160 KVA. Kindly confirm whether such backup capacity is already available or is expected to be provisioned separately</p>	<p>Installation of Online UPS to be done at the Prime Hub site, These online UPS are to be used primarily for Administrative block. Also for Residential block of Prime Hub as per need basis</p>
--	--	--	--	--	--	---

5	Lot#7	Tables Type-3	<p>Round Conference Table; 25mm MDF Top with 1mm Laminate Finish; Diameter 2400mm, ±25 mm; Height 750mm, ±25 mm</p> <p>Heavy-duty PVC Edge Banding; Powder-Coated Mild Steel Legs or Engineered Wood Modular Base; Knock-down Design for Easy Assembly; Colour: Dark Brown/Woodgrain/Grey; Seating Capacity: 10-12 persons; Warranty: Minimum 1 year.</p>	Nos	7	<p>Request to Kindly amend the specification for Lot No. 7, Table Type 3, from Round Diameter 2400 mm for seating 10-12 people to Oval Table for seating 10-12 people.</p>	<p>Round/Oval Conference Table; 25mm MDF Top with 1mm Laminate Finish; Diameter 2400mm, ±25 mm; Height 750mm, ±25 mm</p> <p>Heavy-duty PVC Edge Banding; Powder-Coated Mild Steel Legs or Engineered Wood Modular Base;</p> <p>Knock-down Design for Easy Assembly; Colour: Dark Brown/Woodgrain/Grey; Seating Capacity: 10-12 persons; Warranty: Minimum 1 year.</p>
6	GENERAL QUERIES					<p>Request to Add Additional Terms and Condition to avoid local non branded products.</p>	

		<p>1. Experience Criteria, Past Performance, Bidder 2. Turnover, Certificate (Requested in ATC), OEM Bid Specific Authorization 3. OEM turnover more than 6000cr in India. 4. OEM presence more than 15 years in India 5. BIS Registration certificate 6. Bidder local GST registered office 7. ISO 14000:1,</p>	RFB Condition shall prevail.
		<p>8. OEM Northeast Local office and GST No, Service Center List of State and toll-free number and Service Centre Located: Shillong, Assam (North East) Service Engineer is Located in Meghalaya. Certification: Standard ISO certification should be there.</p>	Please Refer to ITB clause 19.1 (b)
		<p>9. Duty Cycle 24X7</p>	RFB Condition shall prevail.
		<p>10. Apple Airplay: Inbuilt</p>	RFB Condition shall prevail.
		<p>For executing electrical works such as installation of DG Set & UPS the bidder should possess necessary electrical contractor license from the Meghalaya electrical licensing board, which has not been asked in the bid document. Hence such clause should be included</p>	RFB Condition shall prevail.

		<p>Kindly confirm the current schematics of electrical panels available at the site, or any layout available</p>	<p>Not Part of the RFB process will informed after the Award of the Contract.</p>
		<p>UPS backup time of 30-60 mins for a 100 kVA UPS is a huge system, Since you are already procuring a DG set, hence for industrial systems usually have a small back up of 5-10 mins is suggested as within that time the DG set with AMF will kick in</p>	<p>UPS system is only for the administrative and residential blocks. DG to be used only for Industrial purpose</p>
		<p>UPS 100 KVA; Since the UPS is meant for industrial use, hence power factor should be Unity, i.e, 100KVA/100KW, otherwise there will be power losses which is not recommended. UPS should also have phase sequence correction as in case of faulty lines machine should be protected. UPS should have hazard safety certifications EN/IEC62040, otherwise many brands available in markets without necessary compliances</p>	<p>Please Refer to MBMA's response at Sl. 4(UPS)</p>
		<p>For DG set please confirm whether the DG Shed(CIVIL works) are in bidder's scope or not. Also whether the electrical cabling of input/output is required by the bidder</p>	<p>Civil work is not in the scope of work</p>

7	<p>Section-III Bid Data Sheet, ITB clause 18.3 (b) Post Qualification Requirements S.1 no 4. Bidder should have Experience in supplying at least three (3) similar contracts from reputed organizations like Central/State Governments/ Academic Institutions/ PSUs /Private sector with minimum of: 3 Pervious Contracts/Purchase Order of supplying similar goods to be submitted along with completion certificate</p>		<p>In reference to the requirement mentioned on page 37 of the RFB, it is stated that the bidder should have experience in supplying at least three similar contracts from reputed organizations such as Central/State Government or Academic Institutions. It is also mentioned that copies of purchase orders along with completion certificates are to be submitted. We would like to seek clarification on whether a CRAC (Consignee Receipt and Acceptance Certificate) would be acceptable in place of a formal completion certificate for this purpose</p>	<p>Bidder should have Experience in supplying at least three (3) similar contracts from reputed organizations like Central/State Governments/ Academic Institutions/ PSUs /Private sector with minimum of: 3 Pervious Contracts/Purchase Order/CRAC Report of supplying similar goods to be submitted along with completion certificate.</p>							
	<table border="1"> <thead> <tr> <th data-bbox="255 708 362 762">Lots#</th> <th data-bbox="362 708 479 762">Description</th> <th data-bbox="479 708 994 762">Experience</th> </tr> </thead> <tbody> <tr> <td data-bbox="255 762 362 1136" rowspan="2">Lot#1</td> <td data-bbox="362 762 479 938">Tv Type-1</td> <td data-bbox="479 762 994 1136" rowspan="2"> INR 32,00,000 (Indian Rupees Thirty Two Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years </td> </tr> <tr> <td data-bbox="362 938 479 1136">Tv Type-2</td> </tr> </tbody> </table>	Lots#	Description	Experience	Lot#1	Tv Type-1	INR 32,00,000 (Indian Rupees Thirty Two Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years	Tv Type-2		<p>For Lot#1, the RFB specifies that bidders must have experience of supplying similar goods/equipment amounting to ₹32 lakhs in no more than three contracts over the last three financial years. While there is no issue regarding the contract value, we would like to clarify whether experience in supplying LED displays or similar display equipment (other than TVs) would be considered acceptable for meeting the technical qualification criteria for Lot#1.</p>	<p>Bidder should have Experience in supplying at least three (3) similar contracts from reputed organizations like Central/State Governments/ Academic Institutions/ PSUs /Private sector with minimum of: 3 Pervious Contracts/Purchase Order of supplying similar goods to be submitted along with completion certificate. * Similar Supply would mean TV , LED Display and interactive panels.</p>
Lots#	Description	Experience									
Lot#1	Tv Type-1	INR 32,00,000 (Indian Rupees Thirty Two Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years									
	Tv Type-2										

8	<p>Section V. Schedule of Requirements The delivery schedule expressed as weeks/ months stipulates hereafter a delivery date which is the date of delivery (i) at EXW premises, or (ii) to the carrier at the port of shipment when the contract is placed on CIF terms, or (iii) to the first carrier when the contract is placed on CIP terms. In order to determine the correct date of delivery hereafter specified, the purchaser has taken into account the additional time that will be needed for international or national transit to the project site or to another common place.</p> <p>Annex I: Delivery Location: Delivery will be done in the 7 prime hubs</p>	<p>Delivery would be at seven locations. for example, all the Delivery will be at one location in PINURUSLA only and as per Annex 1:</p>	<p>Refer to Section V: Schedule of Requirements of the RFB Document. Annex I: Delivery Location: Delivery will be done in the 7 prime hubs</p>
9	<p>ITB clause 18.3 (b) The required documentary evidence to be submitted by the bidder to confirm its qualifications to perform the contract is as follows: Post Qualification Requirements Note: Bids will be evaluated for each lot. If a bidder is winning in both the lots; a cumulative/aggregate technical and financial assessment for both lots will be taken into consideration for award of contract. • The Bidder shall furnish documentary evidence to demonstrate that the machineries it offers meet the following usage requirement: Original Catalogue • Joint Venture is not allowed. • Trade Supply (i.e., to a different trader) will not be considered as previous contract.</p>	<p>Request to allow Joint Venture participation for this tender. Considering the magnitude of the project, allowing Joint Ventures would enable vendors to leverage the expertise and technical strength of their principals, ensuring delivery of the best possible product.</p> <p>In the local context, very few individual vendors may meet the stringent eligibility criteria specified. To make the tender more inclusive and competitive, it is requested that the condition be amended to permit Joint Ventures.</p>	<p>RFB Condition shall prevail.</p>

10	<p style="text-align: center;">ITB clause 22.1</p> <p>The RFB will require submission of both Technical and Financial Bids at the same time, in one single envelopes. In addition to the original of the bid, the number of copies required is One soft copy is required to be submitted in USB drive. The original signed and company stamped hard copy will prevail in case of any deviations.</p>	<p>Kindly clarify whether the bid is to be submitted as a single bid or a two-cover (double bid) system – i.e., separate technical and financial bids.</p>	<p>Please Refer to Section III: Bid Data Sheet (BDS) ITB: 22.1 of RFB Document</p>
11	<p>Section VII (B). Special Conditions of Contract The following SCC shall supplement the GCC. Whenever there is a conflict, the provisions herein shall prevail over those in the GCC. The corresponding clause number of the GCC is indicated in parentheses.</p> <hr/> <p>GCC clause 19.4 – Currency of Payment Payment for goods and services supplied from within the purchaser’s country: Payment shall be made in the following manner: On acceptance: 100% (Hundred percent) of the contract price of goods received shall be paid within Thirty (30) days of receipt of the goods upon submission of claim supported by the acceptance certificate issued by the purchaser. Payment for goods and services supplied from within the purchaser’s country shall be made in INR. (INDIAN RUPEES)</p>	<p>The payment terms mentioned in the tender specify 100% payment against delivery. We kindly request if it would be possible to consider a revised structure such as 90% (or 80%) payment on delivery and the remaining 10% (or 20%) upon successful installation</p>	<p>GCC clause 19.4 – Currency of Payment Payment for goods and services supplied from within the purchaser’s country: Payment shall be made in the following manner: (i) On Delivery: Eighty (80) percent of the Contract Price shall be paid on receipt of the Goods and upon submission of the documents specified in GCC Clause 11.1 (ii) On Acceptance: The remaining twenty (20) percent of the Contract Price shall be paid to the Supplier within forty-five (45) days after the date of the acceptance certificate for the lot delivery issued by the Purchaser.</p> <p>Note: *All delivered equipment will be verified regarding physical quantities by MBMA representative; must have Proforma for Acceptance as provided at Annexure – II (attached with this Corrigendum which was not part of the RFB document) to be put up along with Invoice for final payments.</p>

12	ITB clause 18.3 (b) Post Qualification Requirements					
	Financial: The Bidder must have Average Annual Turnover of:					
Lots#	Description	Quantity	Avg. Annual Turnover (INR)	Average Annual Financial Turnover Certificate for the last three financial years i.e. 2021-22, 2022-23-2023-24 . Certified by a Chartered Accountant.	High turnover is not achievable and this may disqualify many local vendors. Also, most of the usual tender turnover ask rate is between 10% to 20%. And, it is also requested to reduce the EMD into 2% of the tender item value	RFB Condition shall prevail
Lot#1	TV Type-1	7	32,00,000			
	TV Type-2	14				
Lot#2	Desktop with UPS	35	37,00,000			
	Laptop	42				
Lot#3	DG SET with Installation	7	70,00,000			
Lot#4	Router with Installation	7	14,20,000			
	CCTV with Installation	105				
Lot#5	Industrial UPS Power Backup with Installation	7	1,06,00,000			
Lot#6	Standing Fan	140	5,60,000			
Lot#7	Tables Type-1	7	19,00,000			

		Tables Type-2	28							
		Tables Type-3	7							
		Tables Type-4	252							
		Tables Type-5	42							
		Tables Type-6	420							
	Lot#8	Bed Type-1	196	62,00,000						
		Bed Type-2	14							
	Lot#9	Chair Type-1	14	18,00,000						
		Chair Type-2	14							
		Chair Type-3	84							
		Chair Type-4	252							
		Chair Type-5	7							
	Lot#10	Wardrobe	210	90,00,000						
		File Cabinet	14							
		Curtains	210							
13	ITB clause 18.3 (b) Post Qualification Requirements 4. Bidder should have Experience in supplying at least three (3) similar contracts from reputed organizations like Central/State Governments/Academic Institutions/ PSUs/Private sector with minimum of: 3 Pervious Contracts/Purchase Order of supplying similar goods to be submitted along with completion certificate.				1. Post Qualification Experiences Required: The value of experiences required for qualification looks very high comparatively to the value of works, which will not allow small bidders to participate, hence request you to kindly relook into the experience criteria. 2. In Lot#5: INR 90,00,000 Lakhs	ITB clause 18.3 (b) Post Qualification Requirements 4. Bidder should have Experience in supplying at least three (3) similar contracts from reputed organizations like Central/State Governments/Academic Institutions/ PSUs/Private sector with minimum of: 3 Pervious Contracts/Purchase Order of supplying similar goods to be submitted along with completion certificate.				
	Lots#	Description	Experience		<table border="1"> <thead> <tr> <th>Lots#</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Lots#	Description			
Lots#	Description									

Lot#1	Tv Type-1	INR 32,00,000 (Indian Rupees Thirty Two Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years	<p>(Indian Rupees Ninty Six Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years</p> <p>2. In the UPS section, the RFB states that the bidder should have experience of ₹1.06 crore in a maximum of three purchase orders. We would like to request a reconsideration of this criterion, as the total estimated value of the UPS section itself is very close to the specified eligibility value.</p> <p>We request either a reduction in the required value or an increase in the permissible number of purchase orders, as we have extensive experience in this domain through multiple contracts, though each may be of a smaller individual value.</p>	Lot#1	Tv Type-1	INR 25,00,000 (Indian Rupees Twenty Five Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years * Similar Supply would mean TV , LED Display and interactive panels.	
	Tv Type-2				Tv Type-2		
	Lot#2	Desktop		INR 37,00,000 (Indian Rupees Thirty Seven Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years	Lot#2	Desktop	INR 29,00,000 (Indian Rupees Twenty-Nine Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years
		Laptop				Laptop	
	Lot#3	DG set 3 Phase 100-125 KVA Silent		INR 70,00,000 Lakhs (Indian Rupees Seventy Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years	Lot#3	DG set 3 Phase 100-125 KVA Silent	INR 56,00,000 Lakhs (Indian Rupees Fifty Six Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years
Lot#4	Router/ Re router with installation	INR 14,20,000 (Indian Rupees Fourteen Lakh Twenty Thousand Only) in no more than 3 contracts of similar goods/equipment in last three financial years	Lot#4	Router/ Re router with installation	INR 11,00,000 (Indian Rupees Eleven Lakh Only) in no more than 3 contracts of similar goods/equipment in last three financial years		
	CCTV with Installation			CCTV with Installation			
Lot#5	Industrial UPS power backup With Installation	INR 1,06,00,000 Lakhs (Indian Rupees One Crore Six Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years	Lot#5	Industrial UPS power backup With	INR 84,00,000 Lakhs (Indian Rupees Eighty Four Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years		

	Lot#6	Standing Fan	INR 5,60,000 (Indian Rupees Five Lakhs Sixty Thousand Only) in no more than 3 contracts of similar goods/equipment in last three financial years			Installation			
	Lot#7	Table Type-1	INR 19, 00,000 (Indian Rupees Nineteen Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years			Lot#6	Standing Fan	INR 4,50,000 (Indian Rupees Four Lakhs Fifty Thousand Only) in no more than 3 contracts of similar goods/equipment in last three financial years	
		Table Type-2				INR 15, 00,000 (Indian Rupees Fifteen Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years	Lot#7	Table Type-1	
		Table Type-3						Table Type-2	
		Table Type-4						Table Type-3	
		Table Type-5						Table Type-4	
		Table Type-6						Table Type-5	
	Lot#8	Bed Type -1	INR 62, 00,000 (Indian Rupees Sixty Two Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years					Lot#8	
		Bed Type -2				Bed Type -2			
	Lot#9	Chair - Type 1	INR 18, 00,000 (Indian Rupees Eighteen Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years			Lot#9	Chair - Type 1	INR 13, 80,000 (Indian Rupees Thirteen Lakhs Eighty Thousand Only) in no more than 3 contracts of similar goods/equipment in last three financial years	
Chair - Type 2		Chair - Type 2							
Chair - Type 3		Chair - Type 3							
Chair - Type 4		Chair - Type 4							
Chair - Type 5		Chair - Type 5							
Lot#10	Wardrobe	INR 90, 00,000 (Indian Rupees Ninty Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years		Lot#10	Wardrobe	INR 70, 00,000 (Indian Rupees Seventy Lakhs Only) in no more than 3 contracts of similar goods/equipment in last three financial years			
	File Cabinet				Curtains				
	Curtains								

14	Section-III Bid Data Sheet, ITB clause 20.1 &20.2 The Amount of bid Security shall be not less than:				<p>EMD for Lot 1, 2, 4, 5 As a registered Micro and Small Enterprise (MSE) unit, we are eligible to participate under the Central Government Store Purchase Programme and are therefore exempted from payment of Earnest Money Deposit (EMD) as per prevailing Government of India procurement policies and guidelines.</p> <p>The amount of turnover EMD asks too high. You know, going by this standard, this particular turnover maximum will be for big, big limited company and as well as only for the OEM. By going this standard, I think many local peters will disqualified. That's why it is my request to reduce the turnover as well as EMD as I've already written a mail.</p> <p>We request you to kindly consider this exemption while evaluating our bid. Concern regarding the high bid security amount for Lots 1 to 5, which appears to be significantly high, especially for MSMEs. Request to consider reducing the bid security to encourage wider participation.</p> <p>Additionally, the eligibility criteria require experience amounting to a high value within a maximum of .</p>	RFB Condition shall prevail.	
	Lots#	Description	Units	Quantity			Bid Security (INR)
	Lot#1	Tv Type-1	Nos.	7			1,25,000
		Tv Type-2	Nos.	14			
	Lot#2	Desktop	Nos.	35			1,47,000
		Laptop	Nos.	42			
	Lot#3	DG set 3 Phase 100-125 KVA Silent	Nos.	7			2,80,000
	Lot#4	Router / Re router	Nos.	7			57,000
CCTV		Nos.	105				
Lot#5	Industrial UPS power backup	Nos.	7	4,22,000			

Lot#6	Standing Fan	Nos.	140	22,500	<p>three purchase orders. Given the high value requirement, it may be difficult to meet this condition with only three POs. Request to either reduce the required value or allow submission of a higher number of purchase orders to meet the criteria.</p> <p>Request that the EMD and the Experience criteria be reduced to ensure wider participation.</p> <p>The amount of turnover EMD asks too high. Going by this standard, this particular turnover maximum will be for big, big limited company and as well as only for the OEM. local peters will disqualified. Request to reduce the turnover as well as EMD .</p>
Lot#7	Table Type-1	Nos.	7	76,000	
	Table Type-2	Nos.	28		
	Table Type-3	Nos.	7		
	Table Type-4	Nos.	252		
	Table Type-5	Nos.	42		
	Table Type-6	Nos.	420		
Lot#8	Bed Type -1	Nos.	196	2,46,500	
	Bed Type -2	Nos.	14		
Lot#9	Chair - Type 1	Nos.	14	69,500	
	Chair - Type 2	Nos.	14		
	Chair - Type 3	Nos.	84		
	Chair - Type 4	Nos.	252		
	Chair - Type 5	Nos.	7		
Lot#10	Wardrobe	Nos.	210	3,52,000	
	File Cabinet	Nos.	14		
	Curtains	Nos.	210		

Deputy Project Director, MLAMP
Meghalaya Basin Management Agency



**PROFORMA OF CERTIFICATE FOR ISSUE BY THE PURCHASER
AFTER SUCCESSFUL INSTALLATION AND STARTUP OF THE
SUPPLIED GOODS**

No. _____

Date: _____

M/s. _____

Sub: Certificate of start-up of the supplied Goods

1. This is to certify that the goods as detailed below has/have been received in good condition along with all the standard and special accessories (subject to remarks in Para No. 2) and a set of spares in accordance with the Contract/Specifications. The same has been installed and commissioned.

(a) Contract No. _____ dated _____

(b) Description of the Good _____

(c) Quantity _____

(d) Name of the consignee _____

(e) Date of start-up and proving test _____

2. Details of accessories/spares not yet supplied and recoveries to be made on that account.

<u>S. No.</u>	<u>Description</u>	<u>Amount to be recovered</u>
---------------	--------------------	-------------------------------

3. The proving test has been done to our entire satisfaction.

4. The supplier has fulfilled his contractual obligations satisfactorily. *

or

The supplier has failed to fulfil his contractual obligations with regard to the following:

(a)

(b)

(c)

(d)

20

5. The amount of recovery on account of non-supply of accessories and spares is given under Para No. 2.

6. The amount of recovery on account of failure of the supplier to meet his contractual obligations is as indicated in endorsement of the letter.

Signature _____

Name _____

Designation with Stamp _____

* Explanatory notes for filling up the certificates.

- a) He has adhered to the time schedule specified in the contract in dispatching the documents/drawings pursuant to Technical Specifications.
- b) He has supervised the start-up of the plant in time i.e., within the period specified in the contract from the date of intimation by the Purchaser in respect of the installation of the plant.
- c) Training of personnel has been done by the supplier as specified in the contract
- d) In the event of documents/drawings having not been supplied or installation and start-up of the plant have been delayed on account of the supplier, the extent of delay should always be mentioned.